



Worlds Best Electrical Contractor

*Quantity
by Category*

Worlds Best Electrical Contractor

123 Main Street
800-555-1212
License # SC12589215

Customer







James Remodeling Company
John James
1 Lake View, Clemont ,FI 34748
1-800-444-1234
usbuilt@gate.net

Project

Sample Residential Project
Mr. Mike Holt
7 Kingston St, Plainfield, IL 60544
352-360-2620
MH@MikeHolt.Com

The following shows the quantities that are on the blueprint (Per Plan) as well as items that have been added and/or removed for value engineering.

Appliances

| | | Per Plan | Value Engineered |
|--|--|----------|------------------|
|  | 1 Appliance: Cooktop 30A Termination | 1 | |
|  | 1 Appliance: Dishwasher/Disposal Circuit With Power Cords to Split Duplex Receptacle | 1 | |
|  | 1 Appliance: Electric Dryer 30A 220V Circuit, Cord & Receptacle | 1 | |
|  | 1 Appliance: Oven Installation to Existing Power Source | 1 | |
|  | 1 Appliance: Range Hoodfan 15A Receptacle & Hoodfan Installation. Hoodfan FBO | 1 | |
|  | 1 Range Hood: 30" Non-Ducted - Stainless Steel | 1 | |

Fire / Security / Signaling / Clocks (Detectors, Strobes, Etc.)

Per Plan Value Engineered

Fire / Security / Signaling / Clocks (Detectors, Strobes, Etc.)

Per Plan

Value Engineered



7 Smoke Detector Assembly: 120V With Battery Back-Up

6

1

Grounding

Per Plan

Value Engineered



1 Grounding System Assembly: Meter Ground, (2) 5/8" Copper Ground Rods

1

Light Fixtures / Accessories

Per Plan

Value Engineered



Fixture FBO

5 Ceiling Light Assembly: Generic Flush Mount - Fixture FBO

5



Fixture FBO

6 Exterior Wall Light Assembly - Fixture FBO

6



Fixture FBO

3 Interior Wall Light - Fixture FBO

3



1 Keyless Lampholder Assembly: Incandescent

1



5 Recessed Downlight Assembly: 6" Incandescent Baffle

5



Generic Image

2 Wraparound Light Assembly: 1' x 4' Fluorescent

2

Mechanical (Heating / Ventilation / A/C / Pumps, Etc.)

Per Plan

Value Engineered



1 Air Conditioner Connection: 60A Disconnect, No Circuit

1



1 Heat Pump Disconnect: Within 6' of Furnace at Existing Power Source

1



3 Ventilation Exhaust Fan Assembly

3

Mechanical (Heating / Ventilation / A/C / Pumps, Etc.)

Per Plan

Value Engineered



1 Water Heater Disconnect: Within 6' of Water Heater at Existing Power Source

1

Paddle Fans / Accessories

Per Plan

Value Engineered



Fixture FBO

6 Paddle Fan Outlet w/ Fan Installation, Fan FBO

6

Power Distribution (Breakers / Circuits / Panels / Meters, Etc.)

Per Plan

Value Engineered



4 Arc Fault Circuit: 15A 120V

4



1 Branch Circuit: 15A 1P 120V

1



1 Branch Circuit: 15A 2P 240V

1



4 Branch Circuit: 20A 1P 120V

4



4 Branch Circuit: 30A 2P 240V

4



1 Branch Circuit: 40A 2P 240V

1



1 Load Center Assembly: 200A 1-Phase 40-Circuit

1



1 Meter Main Assembly: 200A

1

Voice / Data / Video

Per Plan

Value Engineered







270 Telephone Cable: Cat 5e (Per Foot)

270

Voice / Data / Video

| | | Per Plan | Value Engineered |
|--|--------------------------------------|----------|------------------|
|  | 6 Telephone Wall Jack Assembly | 6 | |
|  | 270 Television Coaxial Cable: RG-6/U | 270 | |
|  | 6 Television Wall Jack Assembly | 6 | |

Wiring Devices / Wallplates / WP Covers (Receptacle, Switches, Etc.)

| | | Per Plan | Value Engineered |
|--|---|----------|------------------|
|  | 45 Duplex Receptacle Assembly: Tamperproof, 15A | 46 | -1 |
|  | 8 GFCI Duplex Receptacle Assembly: Tamperproof, 15A | 8 | |
|  | 3 GFCI Duplex Receptacle Assembly: Weatherproof, Weather Resistant, 15A | 3 | |
|  | 12 Switch Assembly: Toggle, 3-Way, 15A | 10 | 2 |
|  | 13 Switch Box Assembly: 1G | 12 | 1 |
|  | 11 Switch Box Assembly: 2G | 11 | |
|  | 1 Switch: Dimmer, Rotary, 1-Pole | 1 | |
|  | 5 Switch: Rotary Paddle Fan | 5 | |
|  | 17 Switch: Toggle, 1-Pole, 15A | 18 | -1 |

All home improvement contractors and subcontractors shall be registered and that any inquiries about a contractor or subcontractor relating to a registration should be directed to the Office of Consumer Affairs.